




5 . **3**







F/G. 3



10








TABLE A - FILM INPUT FORMATS

35 mm FILM FORMAT ¹	ASPECT FORMAT	IMAGE WIDTH (INCHES)	IMAGE HEIGHT (INCHES)	IMAGE TO FILM FRAME RATIO
FULL-FRAME (SUPER 35)	1.33: 1	0.981	0.735	1.02
ACADEMY	1.37: 1	0.864	0.630	1.18
ANAMORPHIC	1. 18: 1	0.864	0.630	1. 18
1.85: 1	1.84: 1	0.864	0.469	1.59
3 Perf 1.85:1	1.84: 1	0.864	0.560	1.33
TV 4: 3	1.33: 1	0.816	0.612	1.22
TV 16: 9	1.78: 1	0.816	0.531	1.41
3 Perf TV 16:9	1.78: 1	0.816	0.560	1.33

¹⁴ PERF UNLESS OTHERWISE SPECIFIED

TABLE B - TELECINE TO SDTV THROUGHPUT RATES

	SDTV						
35 mm FILM	480 X 640 SCAN			480 X 704 SCAN			
FORMAT ¹	EXPOSURE (µs)	RATE (FPS)	x REAL-TIME (24 FPS)	EXPOSURE (µs)	RATE (FPS)	x REAL-TIME (24 FPS)	
FULL-FRAME (SUPER 35)		190.29	7.93		173.09	7.21	
ACADEMY		164.49	6.85	11.80	149.62	6.23	
ANAMORPHIC	10.73	164.49	6.85		149.62	6.23	
1.85: 1		122.08	5.09		111.04	4.63	
3 Perf 1.85:1		145.94	6.08		132.75	5.53	
TV 4:3		159.10	6.63		144.72	6.03	
TV 16: 9		137.66	5.74		125.22	5.22	
3 Perf TV 16:9		145.94	6.08		132.75	5.53	

¹4 PERF UNLESS OTHERWISE SPECIFIED

TABLE C - TELECINE TO HDTV THROUGHPUT RATINGS

	HDTV						
35 mm FILM	720 x 1280 SCAN			1080 x 1920 SCAN			
FORMAT ¹	EXPOSURE (µs)	RATE (FPS)	x REAL-TIME (24 FPS)	EXPOSURE (µs)	RATE (FPS)	x REAL—TIME (24 FPS)	
FULL-FRAME (SUPER 35)	·	63.63	2.65	32.07	28.31	1.18	
ACADEMY	21.40	55.00	2.29		24.47	1.02	
ANAMORPHIC		55.00	2.29		24.47	1.02	
1.85: 1		40.82	1.70		18.16	0.76	
3 Perf 1.85:1		48.80	2.03		21.71	0.90	
TV 4:3		53.20	2.22		23.67	0.99	
TV 16: 9		46.03	1.92		20.48	0.85	
3 Perf TV 16:'9		48.80	2.03		21.71	0.90	

¹⁴ PERF UNLESS OTHERWISE SPECIFIED

TABLE D - VIDEO OUTPUT FORMATS

TABLE D - VIDEO OOTI OT TORMATS							
VIDEO FORMAT		INTERLACE	ASPECT RATIO	FRAME RATES ¹ (Hz)	FILM INPUT SCAN RATE (FPS)	REAL— TIME TELECINE THROUGHPUT ²	
TV		NTSC	í	4: 3	29.97	48	x 5
		PAL	i	4: 3	25	48	x 5
		SECAM	i	4: 3	25	48	x 5
DTV	SDTV	480 x 640	i	4: 3	30	48	x 5
		480 x 640	Р	4: 3	24, 30, 60	48	x 5
		480 x 704	i	16: 9	30	48	x 2
		480 x 704	Р	16: 9	24, 30, 60	48	x 2
	HDTV	720 x 1280	Р	16: 9	24, 30, 60	24	x 1
		1080 x 1920	i	16: 9	30	18	× ¾
		1080 x 1920	Р	16: 9	24, 30	18	× ¾

¹ WITH REQUISITE PULLDOWNS

FIG. 88

² WITH FILM SHOT AT 24 FPS